| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| L1 | | "5432849".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/09 16:08 |
| S1 | 443 | "cipher block chaining" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/09 16:08 |
| S3 | 203 | "cipher block chaining" and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 11:25 |
| S9 | 29 | "cipher block chaining" with feedback and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 10:41 |
| S12 | 1 | "cipher block chaining" with (different adj2 (vector or variable)) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 11:47 |
| S13 | 0 | "cipher block chaining" with (plurality adj2 (vector or variable)) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 11:47 |
| S14 | 0 | "cipher block chaining" with (multiple adj2 (vector or variable)) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 11:48 |
| S15 | 4 | "cipher block chaining" with ((multiple or plurality or more) with (vector or variable)) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 12:18 |
| S16 | 2 | "cipher block chaining" with ((multiple or plurality or more) with (initial adj3 (vector or variable))) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 12:19 |
| S17 | 2 | "cipher block chaining" same ((multiple or plurality or more) with (initial adj3 (vector or variable))) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 12:19 |

| S18 | 2 | "cipher block chaining" and ((multiple or plurality) with (initial adj3 (vector or variable))) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 12:20 |
|-------|---------|--|---|------|----|------------------|
| S19 | 113 | ((multiple or plurality) with (initial adj3 (vector or variable))) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 12:20 |
| S20 | 2 | index\$3 near8 ((multiple or plurality) with (initial adj3 (vector or variable))) and @ad <= "20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 15:50 |
| S21 | | "4969190".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 15:51 |
| S22 | 2 | "5835599".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:30 |
| . S23 | 624 | "DES" with "extra round" or "extra stage" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:31 |
| S24 | 0 | "DES" with ("extra round" or "extra stage") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:32 |
| S25 | 5183604 | "DES" wsame ("extra round" or "extra stage") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2004/12/07 18:32 |
| S26 | 1 | "DES" same ("extra round" or "extra stage") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:33 |
| S27 | 702 | ("extra round" or "extra stage") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:33 |

| S28 | 1 | ("extra round" or "extra stage") and "data encryption system" and @ad <="20001006" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/07 18:34 |
|-----|---|--|---|----|----|------------------|
|-----|---|--|---|----|----|------------------|